

INDEX MAPS.

T. 7 N., R. 2 E. 2nd Mer.

	261	260	260	260	260	260	260	260	260	260	260
263	6	281	5	277	4	273	3	270	2	266	1 258
	281		280		276		273		269		266
262	7	280	8	276	9	273	10	269	11	266	12 258
	281		279		276		273		269		265
262	18	279	17	275	16	272	15	268	14	265	13 258
	281		279		275		271		268		265
262	19	279	20	275	21	271	22	268	23	264	24 257
	282		278		274		271		267		264
261	30	278	29	274	28	271	27	267	26	264	25 257
	282		277		274		270		267		263
261	31	277	32	274	33	270	34	266	35	263	36
	256		256		256		255		255		255

T. 8 N., R. 2 E. 2nd Mer.

	289	290-291	291	290	290	290	290	
293	6	312	5	309	4	305	3	301
	313		312		308		304	
293	7	312	8	308	9	304	10	300
	313		311		308		304	
292	18	311	17	307	16	303	15	300
	313		311		307		303	
292	19	310	20	307	21	303	22	299
	313		310		307		303	
292	30	310	29	306	28	302	27	298
	314		309		306		302	
291	31	309	32	305	33	302	34	298
	286		286		286		285	

(P) The figures on the lines refer to the page.

Township N.^o 7 North, Range N.^o 9 East T.^o Mer. Indiana

var. 6.15 E

South Boundary March 25. 1811.

- West 1st Mile between Town 6 & 7 N. Range 2 E.
- 10.00 a Brook 8 lbs. wide C. S. N. E.
- 24.00 a Do 3 lbs. " S. E.
- 26.00 a Sugar 12 in. diam.
- 40.00 At the of. Sec. post, from which
a W. Oak 16 in. diam. bran N 86° E 43 lbs. dist. of
- 80.00 At a post cor. to Sect. 35 & 36, from which
a P. Oak 36 in. diam. bran N 15° W 11 lbs. dist. of
a Do 6 " " N 15° W 10 " "
Hilly poor Oakland.

West 2^d Mile between Town 6 & 7 N. Range 2 E.

- 18.00 a Brook 40 lbs. wide C. S. N. E.
- 29.00 left Do
- 30.00 a Brook 6 lbs. wide C. S. N. E.
- 40.00 At the of. Sec. post, from which
a Beech 18 in. diam. bran N 56° E 32 lbs. dist. of
a Sugar 6 " " N 35° W 22 "
- 80.00 At a post cor. to Sect. 34 & 35, from which
a Gum 30 in. diam. bran N 69° W 34 lbs. dist. of
no other timber near.

Hilly land timber Oak, Beech, Sugar &c.

West 3^r Mile between Town 6 & 7 N. Range 2 E.

- 40.00 At the of. Sec. post, from which
a Poplar 36 in. diam. bran N 20° W 7 lbs. dist. of
a P. Oak 16 " " N 81° " "
- 60.00 a Brook 3 lbs. wide C. S. N. E.
- 80.00 At a post cor. to Sect. 33 & 34, from which
a Chestnut Oak 30 in. diam. bran N 77° W 7 lbs. dist. of
a Do 12 " " N 49° E 15 " "
Hilly Oak land.

Sect. R.R. & D. Mer. Indiana

West 4th Mile between Town 6th N. Range 2 E.
Over hills & rough land Oaks, Chestnut, etc.

40.00 Set the q. Sec. post, from which
a Hickory 24 in. diam. bran 114 E 8 lbs. dist. of
a Chest. Oak 12 " " 117 E 17 " "

58.00 a Brook 3 lbs. wide C.S. S.W.

80.00 Set the Sec. post Cor. to Sect. 32 & 33, from which
a Chest. Oak 18 in. diam. bran 175 E 9 lbs. dist. of
a Dogwood 5 " " 157 W 8 " "
Hilly and Brushy.

West 5th Mile between Town 6th N. Range 2 E.

10.00 a Brook 3 lbs. wide C.S. S.

25.00 a Do 3 " " " N.

40.00 Set the q. Sec. post, from which
a W. Oak 10 in. diam. bran 1720 E 11 lbs. dist. of
a P. Oak 18 " " 140 E 13 " "

80.00 Set a post Cor. to Sect. 31 & 32, from which
a P. Oak 18 in. diam. bran 170 E 19 lbs. dist. of
a W. Oak 8 " " 184 W 34.

Hilly Oak land

West 6th Mile between Town 6th N. Range 2 E.

40.00 Set the q. Sec. post, from which

a Hickory 7 in. diam. bran 155 W 25 lbs. dist. of
a Do 7 " " 163 E 31 " "

61.00 a Creek 50 lbs. wide C.S. S.W.

62.50 Intersected W. boundary 5.00 N. of temp. post
Set a post Cor. to Town 6th N. R. S. 1/2 E, from which
a Sugar 16 in. diam. bran 132 E 11 lbs. dist. of
a Hickory 14 " " 114 E 28 " "

(Description Omitted)

257

~~257~~

St. R. & E. I. Mer. Indiana

East Boundary ran. 6.15.8
March 26th 1811.

- North On E. boundary of Sec. 36, St. R. & E.
3.00 at Brook 25 lvs. wide C. S. N. 20 E.
40.00 Set the of. Sec. post, from which
a Maple 4 in. dia. bran 180 ft. 23 lvs. dist. of
a W. Oak 20 " " 180 E 20 "
65.50 a Beech 30 "
75.50 a Creek 150 lvs. wide C. S. N. W.
80.00 Set a post Cov. to Sec. 25 & 36, from which
a Beech 8 in. dia. bran 143 ft. 4 lvs. dist. of
a Hickory 4 " " 183 ft. 18 " "
Land poor & hilly timber Oak, Beech, Hickory.
-

- North On E. boundary of Sec. 25, St. R. & E.
34.00 a P. Oak 25 in. dia. wet bottom land
40.00 Set the of. Sec. post, from which
a Sugar 5 in. dia. bran 150 ft. 10 lvs. dist. of
a Poplar 3 " " 184 ft. 12 " "
44.00 a Creek 150 lvs. wide C. S. N. E. hilly oak land
47.00 a Dlo 150 " " 177 ft.
69.50 a P. Oak 10 in. dia.
80.00 Set a post Cov. to Sec. 24 & 25, from which
a W. Oak 14 in. dia. bran 180 ft. 23 lvs. dist. of
a Dlo 24 " " 173 ft. 50 " "
Land poor & hilly, timber W. Oak & Beech
-

- North On E. boundary of Sec. 24, St. R. & E.
9.50 a W. Oak 14 in. dia.
40.00 Set the of. Sec. post, from which
a P. Oak 10 in. dia. bran 138 ft. 14 lvs. dist. of
a Dlo 10 " " 180 ft. 27 " "
60.25 a Hickory 14 " "

I⁷ N R² E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sect. 13 & 24, from which
a W. Oak 13 in. dia. bran N¹⁰ W¹⁴ th. dist. of
a loc 16 " " N⁴ E²³ " .
Land, timber &c. same as on the last mile

North On E. boundary of Sec. 13, I⁷ N R² E.
14.75 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which.
a W. Oak 8 in. dia. bran N¹⁰ W¹³ th. dist. of
a Mulberry 4 " " N³⁵ E³⁴ " .

40.50 a Brook 25 ft. wide C⁷. N^W.

80.00 Set a post Cor. to Sect. 12 & 13, from which
a W. Oak 18 in. dia. bran N²⁷ W³⁶ th. dist. of
a Beech 4 " " S²⁷ E⁶ " "
Land, timber &c. same as on the last mile

North On E. boundary of Sec. 12, I⁷ N R² E.

1.00 a Brook 12 ft. wide C⁷. S²⁵ E.

30.00 a Hickory 9 in. dia. poor hilly land

40.00 Set the q. Sec. post from which
a W. Oak 11 in. dia. bran N³³ W¹⁰ th. dist. of
a Maple 12 " " N⁵⁴ E¹⁸ " "

56.50 a Brook 6 ft. wide C⁷. S.

80.00 Set a post Cor. to Sect. 13 & 12, from which
a Maple 10 in. dia. bran S⁴⁰ E¹⁴ th. dist. of
a Hickory 3 " " N⁶⁷ W¹⁵ " "
Land, timber &c. same as on the last mile

North On E. boundary of Sec. 1, I⁷ N R² E.

26.00 a W. Oak 14 in. dia.

29.50 a Brook 12 ft. wide C⁷. S¹¹ W.

40.00 Set the q. Sec. post, from which
a chest. Oak 13 in. dia. bran N⁷⁵ W³⁷ th. dist.

S. N. R. E. I. Mar. Indiana

a W. Oak 13 in. dia. bran N 20 W 31 lbs. dist. 75.00 a B. Oak 15 " " 80.00 Set a post Cor. to Town 7th 8 N. Range 2nd E from which at Beech 12 in. dia. bran N 45 E 21 lbs. dist. of a Cho 10 " " " 165 lbs " " Poor hilly Beech land.

North Boundary

West 1st mile between Town 7th 8 N. R. E.
12.00 a W. Oak 20 in. dia. land poor & hilly
40.00 Set the q. Sec. post, from which
a B. Oak 10 in. dia. bran N 20 W 8 lbs. dist. of
a Cho 7 " " " 112 lbs " "
53.50 a Brook 15 lbs. wide Cr. M. M.
59.50 a Beech 14 in. dia.
80.00 Set a post Cor. to Sec. 35 & 36, 8th N. R. E., from which
a W. Oak 20 in. dia. bran N 34 E 16 lbs. dist. of
a Beech 8 " " " N 40 E 27 " "
Poor hilly Oak and Beech land.

West 2^d mile between Town 7th 8 N. R. E.
20.00 a Creek 100 lbs. wide Cr. S. M.
40.00 Set the q. Sec. post, from which
a Hickory 15 in. dia. bran N 31 W 20 lbs. dist. of
a Poplar 36 " " " 120 lbs " "
58.00 a Brook 15 lbs. wide Cr. S. M.
62.50 a W. Oak 10 in. dia.
80.00 Set a post Cor. to Sec. 34 & 35, 8th N. R. E., from which
a B. Oak 24 in. dia. bran N 60 E 15 lbs. dist. of
a Beech 8 " " " N 44 W 14 " "
Land hilly and poor, timber Beech, Gum &c.

West 3rd mile between Town 7th 8 N. R. E.

S. N. R. R. E. 2^d. Mer. IndianaMarch 29th 1811.

- 8.00 a W. Oak 10 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bran N 25° W 31¹/₂ dia. of
 a Maple 14 " " " \$34.850 " "
 69.00 a Butternut 16 " "
 70.00 a Brook 30 lbs. wide C. S. H.
 80.00 Set a post Cor. to Sec. 33 & 34, 78 N. R. 2 E., from which
 a Sugar 16 in. dia. bran N 45° E 5¹/₂ dia. of
 a Gum 15 " " " \$45.9725 " "
 Land of middling good quality, timber Beech,
 Sugar, Poplar, Spruce &c.

West 4th Mile between Town 75 8 N. R. 2 E

- 10.00 a Hickory 16 in. dia.
 37.50 a Brook 25 lbs. wide C. S. H.
 40.00 Set the q. Sec. post, from which
 a Sugar 14 in. dia. bran N 21° W 14¹/₂ dia. of
 a P. Oak 10 " " " \$30.9710 " "
 79.50 a Beech 18 " "
 80.00 Set a post Cor. to Sec. 32 & 33, 78 N. R. 2 E., from which
 a Sugar 10 in. dia. bran N 43° E 27¹/₂ dia. of
 a Beech 11 " " " \$27.879 " "
 Land timber &c. same as on the last mile

West 5th Mile between Town 75 8 N. R. 2 E.

- 19.00 a P. Oak 36 in. dia.
 32.00 a Creek 150 lbs. wide C. S. H.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran N 33° E. 24¹/₂ dia. of
 a Leo 14 " " " \$55.9741 " "
 55.00 a Creek 150 lbs. wide C. S. H.
 80.00 Set a post Cor. to Sec. 31 & 32, 78 N. R. 2 E., from which

261

J. N. R. I. E. D. Mer. Indiana

a Maple 16 in. dia. bran 158 & 17 lbs. dist. of
a Water Beech 4 " " " North 7 " "
Land, timber &c. same as on the last mile

West 6th Mile between Town 7 & 8 N. Range 1st E.
5.00 a W. Oak 6 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bran 174 & 21 lbs. dist. of
a Do 13 " " " N 31 9720 "

60.00 Set a post Cor. to Town 7 and 8 North, Range 1st
2 East, from which
a W. Oak 15 in. dia. bran 135 & 22 lbs. dist. of
a Hickory 11 " " " 172 9728 "
Poor hilly Oak land &c.

West Boundary March 29th 1811
North 1st Mile between Town 7 N. Range 1st E.
40.00 Set the q. Sec. post, from which
a Hickory 12 in. dia. bran 124 & 20 lbs. dist. of
a Do 9 " " " N 41 822 "

62.00 a W. Oak 40 "

80.00 Set a post Cor. to Sec. 25 & 36, 5th N. R. 1st E., from which
a Poplar 8 in. dia. bran 148 & 173 lbs. dist. of
a Hickory 12 " " " N 84 816 "
Over hilly, timber Oak, Dogwood &c.

North 2nd Mile between Town 7 N. Range 1st E.
17.00 at Brook 3 lbs. wide C. S. E.
23.00 a W. Oak 18 in. dia.
30.00 a Brook 4 lbs. wide C. S. S. E.
40.00 Set the q. Sec. post, from which
a Gum 6 in. dia. bran 122 & 8 lbs. dist. of
a P. Oak 15 " " " 173 821 "

S.Y.R.R.E. 2nd Mer. Indiana

65.00 a W. Oak 18 in. dia.

80.00 At a post cor. to Sec. 24 & 25, S.Y.R.R.E from which
a Hickory 15 in. dia. bran N 80 W 22 lhn. dist. of
a Sugartree 15 " " " 148 E 45 " "
Hilly Oakland.

North 3rd mile between Town 7 N. Range 15 E.

40.00 At the q. Sec. post, from which
a W. Oak 15 in. dia. bran N 19 W 26 lhn. dist. of
a P. Oak 30 " " " 15 E 47 " "

63.00 a Brook 6 lhn. wide C.S. M.

80.00 At a post cor. to Sec. 13 & 24, S.Y.R.R.E, from which
a Poplar 9 in. dia. bran N 85 W 8 lhn. dist. of
a P. Oak 15 " " " 184 E 29 " "

Land timber &c. same as on the last mile

North 4th mile between Town 7 N. Range 15 E

40.00 At the q. Sec. post, from which
a Beech 9 in. dia. bran N 47 W 18 lhn. dist. of
a Sto 16 " " " 19 E 33 " "

43.00 at Brook 6 lhn. wide C.S. M.

72.50 a P. Oak 20 in. dia.

80.00 At a post cor. to Sec. 12 & 13, S.Y.R.R.E, from which
a Beech 8 in. dia. bran N 45 W 7 lhn. dist. of
a Sto 6 " " " 132 E 66 " "

Land timber &c. same as on the last mile

North 5th mile between Town 7 N. Range 15 E.

15.00 a Brook 5 lhn. wide C.S. M.

30.00 a Creek 150 lhn. wide C.S. M.

40.00 At the q. Sec. post, from which

a Hickory 16 in. dia. bran N 61 E 15 lhn. dist. of
a Maple 8 " " " 119 W 18 " "

263

S^N R^E E. 2^d Mer. Indiana

- 60.00 a Gum 24 in. dia.
 80.00 Set a post Cor. to Sect. 1 of 12 S^N R^E E., from which
 a Hickory 6 in. dia. bran J 34 E 13 lbs. dist. of
 a do 6 " " " N 33 E 14 " "
 Land timber &c. same as on the last mile
-

- North 6th. Mile between Town 7 N. Range 15 E.
 40.00 Set the q. Sec. post, from which
 a Beech 16 in. dia. bran J 61 E 23 lbs. dist.
 75.00 to the N.W. cor. of S^N R^E E. fell 3 chains
 rest of ray random post.

Surveyed in 1811 by Alexander Holmes, D.S.

Subdivision.

- North Between Sect. 35 & 36, S^N R^E E.
 40.00 a Poplar 15 in. dia. marked for q. Sec. cor.
 66.50 a Brook 12 lbs. wide C. S. S.
 80.00 Set a post Cor. to Sect. 25 & 26, 35 & 36, from which
 a Beech 10 in. dia. bran J 48 E 13 lbs. dist. of
 a do 15 " " " J 59 E 30 " "
 Land hilly thin soil, timber Ch. Oak thick.
-

- East On Random between Sect. 25 & 36, S^N R^E E.
 13.00 a Brook 15 lbs. wide C. S. S.
 40.00 Set tempy. of Sec. post
 66.25 a Brook 75 lbs. wide C. S. S.
 80.00 Intersected the E. boundary 10 lbs. N. of corner.
 Land timber &c. same as on the last mile
-

- West On true line between Sect. 25 & 36, S^N R^E E.
 40.00 Set q. Sec. post at av. dist. from which
 a B. Oak 10 in. dia. bran J 36 E 20 lbs. dist. of
 a do 6 " " " N 61 E 13 " "

264

Yell-R.D.E. I^o. Mar. Indiana

80.00 to Section Corner.

North Between Sec. 25 & 26, Yell.R.D.E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bran N84°W30' th. dist. of
 a Hickory 3 " " N4°E10" "
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
 a P. Oak 30 in. dia. bran N42°W15' th. dist. of
 a Gum 8 " " N75°E26" "
 Land timber &c. same as on the last mile

East On Random between Sec. 24 & 25, Yell.R.D.E.
 30.00 at Brook 100 ft. wide C.S. N.W.
 40.00 Set tempy. q. Sec. post
 79.44 Intersected the N & S. line at the Sec. corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 24 & 25, Yell.R.D.E.
 39.72 Set the q. Sec. post at avg. dist. from which
 a Gum 12 in. dia. bran N85°E5' th. dist. of
 a Beech 5 " " N78°W26" "
 79.44 to Sec. corner.

North Between Sec. 23 & 24, Yell.R.D.E. 2^o. Mer.
 20.00 at Brook 100 ft. wide C.S. N.W.
 40.00 Set the q. Sec. post, from which
 a Beech 3 in. dia. bran N38°E5' th. dist. of
 a Poplar 4 " " N14°W6" "
 75.00 a Brook 15 ft. wide C.S. S.W.
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a W. Oak 30 in. dia. bran N35°E28' th. dist. of
 a Syc 20 " " N23°W29" "
 Land, timber &c. same as on the last mile

365

Sy N. R.R. E. D.th Mer. Indiana.

East On Random between Sec. 13 & 24, Sy N. R.R. E.
10.50 a Brook 15 m. wide C.P. S. W.

40.00 Set tempf. of Sec. post

79.63 Intersected the E. boundary 80th. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 13 & 24, Sy N. R.R. E.
39.81 $\frac{1}{2}$ Set q. Sec. post at avg. dist. on true line from which
a P. Oak 15 m. dia. bran N 29° W 40th. dist. of
a Hickory — " " " N 49° E 24 " "
79.63 to Sec. Corner.

North Between Sec. 13 & 14, Sy N. R.R. E. D.th Mer.
30.25 a Sugar 15 m. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 15 m. dia. bran N 60° E 15th. dist. of
a P. Oak 20 " " " S 12° E 23 " "
80.00 Set a post Cor. to Sec. 13, 14, 15 & 12, from which
a Poplar 20 m. dia. bran N 8° E 30th. dist. of
a Beech 15 " " " S 30° W 18 " "
Land, timber &c. same as on the last mile

East On Random between Sec. 12 & 13, Sy N. R.R. E.
40.00 Set tempf. of Sec. post
79.69 Intersected the E. boundary 28th. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 12 & 13, Sy N. R.R. E.
39.84 $\frac{1}{2}$ Set q. Sec. post at avg. dist. on true line, from which
a Maple 15 m. dia. bran N 25° E 11th. dist. of
a W. Oak 14 " " " S 45° E 6 " "
79.69 to Sec. Corner.

I^y N R.R. E. I^r. Mer. Indiana

- North Between Sec. 11 & 12, I^y N. R.R. E.
- 15.72 a Beech 15 in. dia. in the line
- 40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bran 163 E 15 ft. dist. of
a do 10 " " N 79 E 11 " "
- 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a B. Oak 15 in. dia. bran 111 E 8 ft. dist. of
a do 10 " " N 63 E 12 " "
- Land timber &c. same as on the last mile
-

- East On Random between Sec. 1 & 12, I^y N. R.R. E.
- 40.00 Set temp. q. Sec. post
- 79.60 Intersected the N. & S. line 70 ft. N. of the corner.
Land timber &c. same as on the last mile
-

- West on true line between Sec. 1 & 12, I^y N. R.R. E.
- 39.80 Set q. Sec. post at adj. dist. on true line from which
a B. Oak 30 in. dia. bran N 79 E 9 ft. dist. of
a do 24 " " S 46 E 15 " "
- 79.60 to Sec. Corner.
-

- North Between Sec. 1 & 2, I^y N. R.R. E. I^r. Mer
- 11.69 a B. Oak 48 in. dia. in the line
- 40.00 Set the q. Sec. post, from which
a Beech 30 in. dia. bran S 55 W 11 ft. dist. of
an Elm 15 " " N 5 W 19 " "
- 78.39 Intersected the N. boundary 113 ft. E. of the cor.
Set a post Cor. to Sec. 1 & 2, from which
a Beech 15 in. dia. bran S 89 W 7 ft. dist. of
a B. Oak 24 " " N 66 W 15 " "
- Land timber &c. same as on the last mile
-

- North Between Sec. 34 & 35, I^y N. R.R. E.

261

7th N. R.R.E. Ist. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a B. Oak 6 in. dia. bran N56°W17^m8^f dist. of
a Hickory 3 " " N32°W9 " "
56.00 a Brook 15 lbs. wide E. E.
80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a B. Oak 15 in. dia. bran N33°E6^m dist. of
a Hickory 4 " " S9°E28 " "
Land timber &c. same as on the last mile

East On Random between Sec. 26 & 35, 7th N. R.R.E.

40.00 Set temp. q. Sec. post.

80.20 Intersected the N. of S. line 25 lbs. N. of the Cor.
Land timber &c. same as on the last mile

West on true line between Sec. 26 & 35, 7th N. R.R.E.

40.10 Set q. Sec. post at adj. dist. on true line from which
a B. Oak 3 in. dia. bran N45°W26^m dist. of
a W. Oak 15 " " S30°E27 " "

80.20 to Sec. Corner.

North Between Sec. 26 & 27, 7th N. R.R.E.

40.00 Set the q. Sec. post, from which
a W. Oak 30 in. dia. bran N6°W12^m dist. of
a Ho 15 " " S42°W16 " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 10 in. dia. bran N67°W20^m dist. of
a Ho 10 " " S77°E37 " "
Land timber &c. same as on the last mile.

East On Random between Sec. 23 & 26, 7th N. R.R.E.

40.00 Set temp. q. Sec. post

79.35 Intersected the N. of S. line 50 lbs. N. of corner.
Land timber &c. same as on the last mile

S. N. R. 2 E. 2^d. Mer. Indiana

West On true line between Sec. 23 & 26, S. N. R. 2 E.
 39.67^{1/2} lot q. Sec. post at avg. dist. on true line from which
 a Sugar tree 10 in. dia. bran 145 ft 23 lk., dist. of
 a Hickory 12 " " 153 ft 12 " "
 79.35 to Sec. Cor.

North Between Sec. 22 & 23, S. N. R. 2 E.
 40.00 Set the q. Sec. post, from which
 a Beech 8 in. dia. bran 122 ft 5 lk., dist. of
 a W. Oak 4 " " 146 ft 26 " "
 80.00 Set a post on to Sec. 14, 15, 23 & 22, from which
 a W. Oak 15 in. dia. bran 135 ft 8 lk., dist. of
 a Beech 15 " " 150 ft 12 " "
 Land timber &c. same as on the last mile.

East On Random between Sec. 14 & 23, S. N. R. 2 E.
 40.00 Set tempy. q. Sec. post
 41.50 a Brook 100 lk., wide Cr. N.
 79.00 Intersected the N. & S. line 13 lk., N. of corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 14 & 23, S. N. R. 2 E.
 39.50 Set q. Sec. post, from which
 at avg. dist.
 a Sugar 10 in. dia. bran 131 ft 10 lk., dist. of
 a Beech 30 " " 140 ft 20 " "
 79.00 to Sec. corner.

North Between Sec. 14 & 15, S. N. R. 2 E.
 5.00 a Brook 10 lk., wide Cr. N.E.
 40.00 Set the q. Sec. post, from which
 a Hornwood 4 in. dia. bran 149 ft 15 lk., dist.
 a Beech 5 " " 173 ft 14 " "
 70.70 a Brook 150 lk., wide Cr. N.W.

269

~~269~~

S. N. R. 2 E. 2nd Mer. Indiana

80.00 Set a post Cov. to Sec. 10, N. 14th 15, from which
a Beech 8 in. dia. bran N 87° W 3¹/₂ m. dist. of
a do 10 " " " S 99° W 22. "
Land, timber &c. same as on the last mile

East On Random between Sec. 11 & 14, S. N. R. 2 E.
40.00 Set temp. of. Sec. post
78.87 Intersected the N. S. line 12¹/₂ m. N. of corner.
Land, timber &c. same as on the last mile

West On true line between Sec. 11 & 14, S. N. R. 2 E.
39.43¹/₂ Set qf. Sec. post at av. dist. from which
a Dogwood 4 in. dia. bran N 10° E 12¹/₂ m. dist. of
an Ash 3 " " " S 88° E 10 " "
78.87 to Sec. corner.

North Between Sec. 10 & 11, S. N. R. 2 E. 2nd Mer.
40.00 Set the qf. Sec. post. from which
a K. Oak 4 in. dia. bran N 10° W 3¹/₂ m. dist. of
a do 15 " " " S 10° E 33 " "
70.00 a Brook 10¹/₂ m. wide Cr. N. P. M.
80.00 Set a post Cov. to Sec. 2, 3, 10 & 11, from which
a Gum 5 in. dia. bran S 5° W 24¹/₂ m. dist. of
a Beech 12 " " " S 78° E 35 " "
Land, timber &c. same as on the last mile

East On Random between Sec. 2 & 11, S. N. R. 2 E.
40.00 Set temp. of. Sec. post
74.01 a Brook 10¹/₂ m. wide Cr. S.
79.25 Intersected the N. S. line 75¹/₂ m. N. of the cor.
Land, timber &c. same as on the last mile

West On true line between Sec. 2 & 11, S. N. R. 2 E.

JAN 182 E. T. Mer. Indiana

39.62 $\frac{1}{2}$ ft. off. Sec. post, from which
a Beech 8 in. dia. bran 129 ft 8 in. dist. of
a loc 5 " " 199 ft 14 "

79.25 to Sec. Corn.

North Between Sec. 2 & 3, Jan. 122 E.
24.50 a W. Oak 30 in. dia. in the line
40.00 off the off. Sec. post from which
a sugar 15 in. dia. bran 128 ft 26 in. dist. of
a Dogwood 5 " " 119 ft 22 "

78.17 Intersected the N. boundary 1.24 m. E. of corner
a P. Oak 15 in. dia. bran 171 ft 8 in. dist. of
a W. Oak 30 " " 188 ft 34 "
Land timber &c. same as on the last mile

North Between Sec. 33 & 34, Jan. 122 E.
40.00 off the off. Sec. post, from which
a sugar 12 in. dia. bran 189 ft 12 in. dist. of
a Red bud 2 " " 180 ft 12 "

80.00 set a post Con. to Sec. 27, 28, 33 & 34, from which
a Gum 8 in. dia. bran 128 ft 20 in. dist. of
a P. Oak 6 " " 162 ft 11 "

Land timber &c. same as on the last mile

East On Random between Sec. 27 & 34, Jan. 122 E.

40.00 set temp. off. Sec. post

80.30 intersected the N. & S. line 60 in. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 27 & 34, Jan. 122 E.

40.15 set the off. Sec. post at avg. dist. from which
a Beech 8 in. dia. bran 160 ft 5 in. dist. of a
P. Oak 30 " " 160 ft 17 "

271

S. N. R. & E. T. M. V. Indiana

80.30 to Sec. Corner.

North Between Sec. 27 & 28, S. N. R. & E.

40.00 At the q. Sec. post, from which
a Dogwood 3 m. dia. bray 144 ft 12 lbs. dist. of
a Beech 4 " " " 126 E 23 " "

41.20 a Hickory 25 m. dia. in the line

80.00 Set a post cor. to Sec. 21, 22, 27 & 28, from which
a P. Oak 15 m. dia. bray 180 ft 12 lbs. dist. of
a Poplar 40 " " " 168 ft 14 " "
Land timber &c. same as on the last mile

East On Random between Sec. 20 & 27, S. N. R. & E.

40.00 At temp. of Sec. post

41.50 a Brook 15 lbs. wide C. S. M.

81.00 Intersected the N. S. line 33 lbs. N. of the cor.
Land timber &c. same as on the last mile

West On the line between Sec. 20 & 27, S. N. R. & E.

40.50 At q. Sec. post at av. dist. from which
a Sugar 8 m. dia. bray 152 ft 19 lbs. dist. of
a Hickory 8 " " " 126 E 16 " "

81.00 to Sec. Corner.

North Between Sec. 21 & 22, S. N. R. & E.

38.50 a Brook 12 lbs. wide C. S. E.

40.00 a Beech 12 m. dia. marked for q. Sec. Cor.

80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which
a Beech 4 m. dia. bray 136 ft 27 lbs. dist. of
a Beech 4 " " " 168 ft 22 " "
Land timber &c. same as on the last mile

East On Random between Sec. 15 & 22, S. N. R. & E.

279
S. N. R.R. E. D. Mar. Indiana

40.00 Set tempf. q. Sec. post
80.44 Intersected the N.E. S. line 30¹/₂ yds. S. of corner.
Land timber &c. same as on the last mile

West On true line between Sec. 15 & 22
40.22 Set q. Sec. post at av. dist. from which
a Maple 5 in. diam. bran 129 ft 13 in. dist. of
a W. Oak 5 " " " 164 E 23 " .
80.44 to Sec. corner

North Between Sec. 15 & 16, S. N. R.R. Co.
38.00 a B. Oak 30 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Hickory 4 in. diam. bran 157 ft 6 in. dist. of
a W. Oak 6 " " " 172 E 23 " .
80.00 Set a post Cor. to Sec. 9, 10, 15 & 16 from which
a B. Oak 15 in. diam. bran 168 ft 36 in. dist. of
a W. Oak 10 " " " 164 E 19 " .
Land timber &c. same as on the last mile

East On Random between Sec. 10 & 15,
40.00 Set tempf. q. Sec. post
54.00 a Brook 20¹/₂ yds. wide C. S. N. R.
70.00 a do 100 yds. " " North
80.30 Intersected the N.E. S. line 50¹/₂ yds. S. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 10 & 15, S. N. R.R. E.
40.15 Set q. Sec. post at av. J. dist. from which
a Dogwood 3 in. diam. bran 164 E 21 in. dist. of
a do 3 " " " 110 E 12 " .
80.30 to Sec. corner

273

Hyd. Rd. E. D. Mer. Indiana

North Between Sec. 9 & 10, Hyd. Rd. E. D. Mer.

35.00 a Gum 20 in. dia. in the line

40.00 At the qt. Sec. post, from which
a Beech 10 in. dia. bran N 31° W 81° N. dist. of
a do 10 " " N 64° E 19 " "

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
a W. Oak 10 in. dia. bran N 11° E 23° N. dist. of
a do 15 " " N 50° W 34 " "

Land timber &c. same as on the last mile

East On Random between Sec. 3 & 10, Hyd. Rd. E. D.

40.00 Set temp. qt. Sec. post.

45.00 a Brook 10 dep. wide C. S. M.

70.00 a do 10 " " " — N.

80.00 Intersected the N. S. line 50 fm. N. of corner
Land timber &c. same as on the last mile

West On the line between Sec. 3 & 10, Hyd. Rd. E. D.

40.00 Set qt. Sec. post at av. dist. from which
a Beech 10 in. dia. bran N 48° E 13° N. dist. of
a do 15 " " " J 19° W 24 " "

80.00 to Sec. corner.

North Between Sec. 3 & 4, Hyd. Rd. E. D. Mer.

40.00 Set the qt. Sec. post, from which

a Beech 30 in. dia. bran S 87° W 29° N. dist. of
a do 5 " " " J 10° E 25 " "

45.00 a Brook 125 dep. wide C. S. M.

75.00 Intersected the N. boundary 50 fm. E. of post
Set a post Cor. to Sec. 3 & 4, from which

a Beech 10 in. dia. bran N 30° E 10° N. dist. of
a do 8 " " " N 79° W 20 " "

Land timber &c. same as on the last mile

W.N. R.R. E. I. Mer. Indiana

North Between Sec. 32 & 33, W.N. R.R.E.
 40.00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bran N42778 lkp. dist'd
 a W. Oak 15 " " 185 E 25 " "
 53.00 a Brook 12 lkp. wide C.P. S. 197.
 80.00 Set a post cor. to Sec. 28, 29, 32 & 33, from which
 a W. Oak 15 in. dia. bran N309739 lkp. dist'd
 a Maple 4 " " N36833 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 28 & 33, W.N. R.R.E.
 40.00 Set temp. q. Sec. post
 80.25 Intersected the N.Y.S. line 26 lkp. N. of corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 28 & 33, W.N. R.R.E.
 40.12 p. Set q. Sec. post at av. dist. from which
 a B. Oak 8 in. dia. bran N327723 lkp. dist'd
 a do 26 " " N2824 " "
 80.25 to Sec. cor.

North Between Sec. 28 & 29, W.N. R.R.E.
 40.00 Set the q. Sec. post, from which
 a B. Oak 10 in. dia. bran N339713 lkp. dist'd
 a do 4 " " N25818 " "
 49.00 a Brook 10 lkp. wide C.P. S. 197.
 80.00 Set a post cor. to Sec. 20, 21, 28 & 29, from which
 a Dogwood 3 in. dia. bran N3287 lkp. dist'd
 a do 3 " " N71W7 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 21 & 28, W.N. R.R.E.
 40.00 Set temp. q. Sec. post.

275

17 N R.R. E. I. Mer. Indiana

79.75 Intersected the N.H.S. line, 60 ft. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 21 & 28, 17 N. R.R. E.
39.87 $\frac{1}{2}$ ft. q. Sec. post at av. dist. from which
a Chest. Oak 12 in. diam. bran N 25° W 18 ft. dist. of
a Do 12 " " " N 5° W 25 " "
79.75 to Sec. Corner

North Between Sec. 20 & 21, 17 N. R.R. E.
40.00 left the q. Sec. post, from which
a Chest. Oak 15 in. diam. bran N 56° E 14 ft. dist. of
a Dogwood 3 " " " N 50° W 10 " "
80.00 left the post cor. to Sec. 16, 17, 20 & 21, from which
a Gum 5 in. diam. bran N 77° W 26 ft. dist. of
a Do 4 " " " S 60° E 29 " "
Land timber &c. same as on the last mile

East On Random between Sec. 16 & 21, 17 N. R.R. E.
40.00 left tempy. q. Sec. post
79.50 intersected the N.H.S. line 60 ft. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 16 & 21, 17 N. R.R. E.
39.75 left q. Sec. post at av. dist. from which
a Sugar 10 in. diam. bran N 86° E 12 ft. dist. of
a Maple 10 " " " S 15° W 13 " "
79.50 to Sec. Cor.

North Between Sec. 16 & 17, 17 N. R.R. E
38.00 a B. Oak 15 in. diam. in the line
40.00 left the q. Sec. post, from which
a Gum 6 in. diam. bran N 77° E 7 ft. dist. of

S7T-R2E. I^o Mer. Indiana

a B. Oak 18 in. dia. bray 183 ft 20 lbs. dist.
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 15 in. dia. bray N63°W81°Lbs. dist. of
 a B. Oak 16 " " " 148 ft " "
 Land timber &c. same as on the last mile

East On Random between Sec. 9 & 16, S7T-R2E.
 40.00 Set temply. of. Sec. post
 79.59 Intercepted the N. of S. line 63 lbs. N. of corner
 Land timber &c. same as on the last mile

West On true line between Sec. 9 & 16, S7T-R2E.
 39.79 1/2 Set of. Sec. post at av. dist. from which
 a Hickory 12 in. dia. bray 146 ft 14 lbs. dist. of
 a Ho 15 " " " 186 ft 13 " "
 79.59 to Sec. Corner.

North Between Sec. 8 & 9, S7T-R2E.
 33.50 a B. Oak 30 in. dia. on the line
 40.00 Set the of. Sec. post, from which
 a Gum 15 in. dia. bray 145 ft 12 lbs. dist. of
 a Redbird 5 " " " 187 ft 34 " "
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 an Ironwood 3 in. dia. bray 16 ft 814 lbs. dist. of
 a W. Oak 30 " " " 172 ft 12 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 4 & 9, S7T-R2E.
 21.00 a Brook 15 ft wide Cr. St.
 40.00 Set temply. of. Sec. post.
 79.50 Intercepted the N. of S. line to the N. of post.
 Land timber &c same as on the last mile

277

~~S. N. R. R. E. I.~~ Mer. Indiana

West On true line between Sec. 4 & 9, ~~S. N. R. R. E. I.~~
 39.75 Set q. Sec. post at avg. dist. from which
 a W. Oak 24 in. diam. bran N 31° W. 20 lvs. dist. of
 a B. Oak 15 " " " N 42° E. 22 " "
 79.50 to Sec. corner.

North Between Sec. 4 & 5, ~~S. N. R. R. E. I.~~
 35.00 a Brook 15 lvs. wide C. S. S. M.
 40.00 Set the q. Sec. post, from which
 a Beech 15 in. diam. bran N 82° W. 4 lvs. dist. of
 a Do 12 " " " S 55° E. 23 " "
 76.86 Intersected the N. boundary 167 lvs. E. of cor.
 Set a post cor. to Sec. 4 & 5, ~~S. N. R. R. E. I.~~, from which
 a Beech 5 in. diam. bran N 82° E. 3 lvs. dist. of
 a Poplar 20 " " " S 73° W. 30 " "
 Land timber &c. same as on the last mile

North Between Sec. 31 & 32, ~~S. N. R. R. E. I.~~
 34.50 a Brook 10 lvs. wide C. S. S. M.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 in. diam. bran N 61° E. 15 lvs. dist. of
 a Do 10 " " " N 84° W. 24 " "
 65.00 a Brook 15 lvs. wide C. S. S. M.
 80.00 Set a post cor. to Sec. 29, 30, 31 & 32, from which
 a Hickory 10 in. diam. bran N 84° W. 22 lvs. dist. of
 a W. Oak 30 " " " S 27° E. 33 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 29 & 32, ~~S. N. R. R. E. I.~~
 10.00 a Brook 20 lvs. wide C. S. S. M.
 12.50 a Do 20 " " " N. W.
 15.00 a Do 20 " " " S. W.
 40.00 Set tempf. q. Sec. post.

S. N. R. R. E. I. Mr. Indiana

80.20 Intercepted the N. & S. line 4 miles N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 29 & 32, S. N. R. R. E.
40.10 Set q. Sec. post at av. dist. from which
a W. Oak 12 in. dia. bran 180 E 9 lbs. dist. of
a Do 20 " " 133 lbs 27 "

80.20 to Sec. Corner.

North Between Sec. 29 & 30, S. N. R. R. E.

27.00 a Brook 12 lbs. wide C. S. M.

40.00 Set the q. Sec. post, from which
a W. Oak 12 in. dia. bran 168 lbs 9 lbs. dist. of
a Yew 10 " " 173 lbs 11 "

74.50 a Brook 10 lbs. wide C. S. E.

80.00 Set a post cor. to Sec. 19. 20. 29 & 30, from which
a Maple 6 in. dia. bran 136 lbs 7 lbs. dist. of
a Dogwood 4 " " 153 lbs " "

Land timber &c. same as on the last mile

East Between Sec. 20 & 29, S. N. R. R. E.

39.50 a Brook 10 lbs. wide C. S.

40.00 Set tempf. q. Sec. post

55.50 a Brook 10 lbs. wide C. S.

80.12 Intercepted the N. & S. line 8 lbs. N. of corner.
Land timber &c. same as on the last mile

West On true line between Sec. 20 & 29, S. N. R. R. E.

40.06 Set q. Sec. post at av. dist. on true line from which
a Beech 20 in. dia. bran 175 lbs 7 lbs. dist. of
a Do 4 " " 174 lbs 20 lbs. "

81.12 to Sec. Corner.

279

Sy N. R.R. E. I. New Indiana

North Between Sec. 19 & 20, Sy N. R.R. E.

40.00 Set the q. Sec. post, from which
a Poplar 8 in. diam. bran N 79° E 22 lbs. dist. of
a Chest. Oak 10 " " N 75° W 12 "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Ches. Oak 15 in. diam. bran N 40° E 10 lbs. dist. of
a W. Oak 15 " " N 52° W 41 "

Land timber &c. same as on the last mile

East On Random between Sec. 17 & 20, Sy N. R.R. E.

10.00 a Brook 15 lbs. wide C.S. N.W.

40.00 Set temp. q. Sec. post

80.40 Intersect the N.W. S. line 48 lbs. N. of the corner
Land timber &c. same as on the last mile

West On true line Between Sec. 17 & 20, Sy N. R.R. E.

40.20 Set the q. Sec. post at av. dist. from which
a W. Oak 10 in. diam. bran N 45° E 12 lbs. dist. of
a B. Oak 10 " " N 46° E 12 "

80.40 to Sec Cor.

North Between Sec. 17 & 18, Sy N. R.R. E.

29.65 a W. Oak 18 in. diam. in the line

40.00 Set the q. Sec. post, from which
a Sugar 15 in. diam. bran N 80° W 17 lbs. dist. of
a also 3 " " N 64° W 16 "

70.50 a Brook 15 lbs. wide C.S. N.W.

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Gum 20 in diam. bran N 85° W 19 lbs. dist. of
a Beech 5 " " N 40° E 17 "

Land, timber &c. same as on the last mile

East On Random between Sec. 8 & 17, Sy N. R.R. E.

S^WN - R2E. 2nd Mer. Indiana

- 40.00 Set tempy. qt. Sec. post
 80.32 Intersected the N & S. line, 15th kn. N. of corner
 Land timber &c. same as on the last mile
-
- West On true line between Sect. 8 & 17, S^WN. R2E.
 40.16 Set qt. Sec. post at av. dist. from which
 a Bl. Oak 30 in. diam. bran N 10° E 13th kn. dist. of
 a Do 15" " " J 10 W 12 " "
 80.32 to Sec. corner.

-
- North Between Sect. 7 & 8, S^WN. R2E. 2nd Mer.
 21.50 a Brook 10th kn. wide C.S. W.
 40.00 Set the qt. Sec. post from which
 a Sugar 10 in. diam. bran J 22 W 10th kn. dist. of
 a Gum 20" " " J 87 E 15 " "
 70.25 a Brook 15th kn. wide C.S. W.
 80.00 Set a post Cor. to Sect. 5, 6, 7 & 8, from which
 a Gum 5 in. diam. bran N 60° E 10th kn. dist. of
 an Ironw. 3" " " J 51 W 7 " "
 Land timber &c. same as on the last mile
-

- East On Random between Sect. 5 & 8, S^WN. R2E.
 14.00 a Brook 15th kn. wide C.S.
 40.00 Set tempy. qt. Sec. post
 81.00 Intersected the N & S. line 18th kn. N. of corner.
 Land timber &c. same as on the last mile
-

- West On true line between Sect. 5 & 8, S^WN. R2E.
 40.50 Set qt. Sec. post at av. dist. from which
 a Dogwood 3 in. diam. bran J 78 W 16th kn. dist. of
 a Do 3" " " J 27 W 16 " "
 81.00 to Sec. corner.
-

88

1/4 N.R. 2 E. 2nd Mer. Indiana

North Between Sec. 5 & 6, 1/4 N.R. 2 E.

40.00 At the q. Sec. post, from which
a Beech 7 m. dia. bran N 66° E 15 lvs. dist. of
a do 10 " " " N 71° E 34 " "

72.65 Intersected the N. boundary 240 lvs. E. of corner
At a post cor. to Sec. 5 & 6, from which
an Elm 15 m. dia. bran N 16° E. 11 lvs. dist. of
a Maple 3 " " " N 41° W 14 " "
Land timber &c. same as on the last mile

West Between Sec. 6 & 7, 1/4 N.R. 2 E.

40.00 At the q. Sec. post, from which
a Beech 17 m. dia. bran N 41° E 10 lvs. dist. of
a do 20 " " " S 13° W 11 " "

61.65 Intersected the W. boundary 35 lvs. S. of corner
At a post cor. to Sec. 6 & 7, from which
a W. Oak 20 m. dia. bran N 43° E 22 lvs. dist. of
a do 20 " " " N 43° W 24 " "
Land timber &c. same as on the last mile

West Between Sec. 7 & 18, 1/4 N.R. 2 E.

5.50 a Brook 10 lvs. wide W. S.

40.00 At the q. Sec. post, from which
a W. Oak 15 m. dia. bran N 16° W 7 lvs. dist. of
a Hickory 4 " " " S 87° E 15 " "

61.75 Intersected the W. boundary 232 lvs. S. of corner
At a post cor. to Sec. 7 & 18, from which
a P. Oak 12 m. dia. bran N 56° E 12 lvs. dist. of
a Hickory 8 " " " N 15° W 12 " "
Land timber &c. same as on the last mile

West Between Sec. 18 & 19, 1/4 N.R. 2 E.

40.00 At the q. Sec. post, from which

S. N. R. I. E. I. Mer. Indiana

- a Basswood 6 in. diam. bran 127 E 21th dist. of
a do 8 " " " N 24 W 23 " "
43.30 a B. Oak 20 in. diam. with the line
63.10 intersected the W. boundary 150th S. of corner.
Set a post Cor. to Sect. 18 & 19, from which
a W. Oak 10 in. diam. bran 150 W 6th dist. of
a Beech 5 " " " N 50 E 16 " "
Sand timber &c. same as on the last mile
-

West Between Sect. 19 & 30, S. N. R. I. E.

- 40.00 left the g. Sec. post, from which
a Poplar 3 in. diam. bran 136 E 4th dist. of
a Ches. Oak 20 " " " N 88 W 36 " ".
61.50 intersected the W. boundary 196th N. of corner
Set a post Cor. to Sect. 19 & 30, from which
a W. Oak 30 in. diam. bran 152 E 48th dist. of
a do 15 " " " N 05 W 28 " ".
Sand, timber &c. same as on the last mile
-


West Between Sect. 30 & 31, S. N. R. I. E.

- 40.00 left the g. Sec. post, from which
a B. Oak 10 in. diam. bran 116 E 16th dist. of
a do 6 " " " N 34 W 20 " ".
42.00 a Brook 15 lbs. wide Cr. S. E.
62.75 intersected the W. boundary 44th S. of corner
Set a post Cor. to Sect. 30 & 31, from which
a W. Oak 40 in. diam. bran 146 E 50th dist. of
a Hickory 8 " " " N 50 E 23 " ".
Sand timber &c. same as on the last mile
Surveyed in 1844 by Arthur Hennic, D. S.
-

Con'td?

I certify that the foregoing transcript offield notes
of Township N.^o 7 N. Range N.^o 2 E.^o 2^d Meridian
Indiana, has been compared with the original
notes in this office, and found to be correct.

Surveyor Gen'l. Office
Circum. Feb. 26th 1841


C. S. Peairs
Sur. Gen'l.